Canadian Anaesthetists' Society Journal

Index of Authors

VOLUME 30, 1983

Abrams L, see Gotta AW, jt. auth.

Alexander JP. Comparison of Bain and Magill circuits (abst.), 309

Anthonisen NR, see Foley JE, jt. auth.

Arentzen CE, see Rankin JS, jt. auth.

Aronson HB, see Vatashsky E, jt. auth.

Ashton JC, see Dunn GL, jt. auth.

Avram MJ, see Fragen RJ, jt. auth.

Axelson JE, see Bylsma-Howell M, jt. auth.

Bali A, see Okasha AS, jt. auth.

Barer MR, McAllen MK. Direct challenge test in local anaesthetic hypersensitivity (abst.), 102

Bates CP. Colour coding of drug labels (Correspondence), 109

Beekman JF, see Knodel AR, it. auth.

Benacerraf R, see Chastre J, jt. auth.

Bennett G, see Stanley TH, it. auth.

Bennett KJ, see Dunn GL, jt. auth.

Berger JL, see Caramella JP, jt. auth.

Berman L, see deLange S, it. auth.

Bessette MC, see Townsend GE, jt. auth.

Bevan DR. Neuromuscular blocking drugs (Refresher course outline), \$56

- and *Donati F*. Anticholinesterase antagonism of succinylcholine phase II block (Editorial), 569
- Succinylcholine apnoea: attempted reversal with anticholinesterases (Clinical report), 536
- see Futter ME, jt. auth.
- see Gyasi H, jt. auth.
- see Sutherland GA, jt. auth.

Bevan JC, see Sutherland GA, it. auth.

Biehl DR. Resuscitation of the newborn at delivery (Continuing medical education), 94

- Côté J, Wade JG, Gregory GA, Sitar D. Uptake of halothane by the foetal lamb in utero, 24
- Yarnell R, Wade JG, Sitar D. The uptake of isoflurane by the foetal lamb in utero: effect on regional blood flow, 581
- see Yarnell R, jt. auth.

Birkhahn JH, Tadmor C, Simon K. Experience with

parent's presence during anaesthesia induction in children (Correspondence), 679

Blain R, see Donati F, it. auth.

Blajchman MA, Herst R, Perrault RA. Blood component therapy in anaesthetic practice: Review article, 382

- see Kelton JG, jt. auth.

Blanc VF. Anticholinergic premedication for infants and children (The oculocardiac reflex) (Correspondence), 683

 Hardy J-F, Milot J, Jacob J-L. The oculocardiac reflex: a graphic and statistical analysis in infants and children, 360

Blanck TJJ, see Kripke BJ, jt. auth.

Blanloeil Y, Paineau J, Vissett J, Dixneuf B. Intraoperative pulmonary tumor embolism after hepatectomy for liver carcinoma, 69

Bonet JF, see Friesen RM, it. auth.

Boscoe MJ, see deLange S, jt. auth.

Bouchama A, see Chastre J, jt. auth.

Boulanger M, see Hardy JF, jt. auth.

- see Paiement B, jt. auth.

Bourke JB, see Healy HM, it. auth.

Bradford CR, see Ong BY, jt. auth.

Bridenbaugh LD. Comparison of crystalline and liquid tetracaine (abst.), 220

- Regional anaesthesia for outpatient surgery, a summary of twelve years' experience (Continuing Medical Education), 548
- Brooks GZ, Donchin Y, Collins JG, Kitahat ALM, Jefferson SA. Epidural morphine does not affect the duration of action of epidural 2-chloroprocaine following Caesarean section, 598

Browne RA, MacDonald S. A vapourizer interlocking system (Technical Communication), 653

Brunet D, see Moffat JA, jt. auth.

Brymer JF, see Khaja F, jt. auth.

Buckingham W, see Phipps JA, it. auth.

Burrows FA. Epidural anaesthesia and pulmonary hypertension (Correspondence), 445

Bussell JA, see Moffitt EA, jt. auth.

Bylsma-Howell M, Riggs KW, McMorland GH, Rurak DW, Ongley R, McErlane B, Price JDE, Axelson JE. Placental transport of metoclopramide assessment of maternal and neonatal effects, 487

Cade F. Thromboembolism in the critically ill (abst.), 220

Calverley RK, Maltby JR. The Anesthesia History Association (Correspondence), 564

Camarillo D, see Tremper KK, jt. auth.

Capuano C, see Wolf GL, jt. auth.

Caramella JP, Malbezin S, Couderc E, Berger JL, Desmonts JM. L'anesthésie chez les sujets atteints de syndrome de pré-excitation ventriculaire (Clinical report), 185

Carli F, Higgs BD. Expiratory work during halothane and isoflurane anaesthesia (abst.), S77

Carsons S, see Gotta AW, jt. auth.

Caseby NG. Postpartum stroke successfully treated with high-dose pentobarbitone therapy: a case report, 77

Casthely PA, Villanueva R. Level of consciousness after cadaveric kidney transplant under halothane anaesthesia, 587

Catchlove RFH, Ramsay RA. A protocol for the medicopsychosocial evaluation of patients with chronic pain: clinical report, 531

Cervenko FW, see Milne B, jt. auth.

- see Moffat JA, it. auth.

Chalon J, Roberts C, Walpert L, Hoffman C, Ramanathan S, Turndorf H. Murine auto- and cross-tolerance to volatile anaesthetics, 230

- see Lee I, it. auth.

Chambers C, see Forrest JI, it. auth.

Chartrand D, Couture J. Correlation between rapid fall in resting end-expiratory volume and onset of cerebral effects of thiopental (abst.), S64

Chastre J, Cornud F, Bouchama A, Viau F, Benacerraf R, Gilbert C. Thrombosis as a complication of pulmonary-artery catheterization via the internal jugular vein (abst.), 101

Cheney F, see Kozody F, jt. auth.

Cherry M, Cotton D. Effects of 100 per cent oxygen breathing on the multiple breath nitrogen wash-incurve (abst.), S68

Chinyanga HM. Cardiovascular collapse associated with nitrous oxide administration (Correspondence: reply), 226

- see Lerman J, jt. auth.

Chmielewski A, see Fell D, jt. auth.

Chow MSS, Ronfeld RA, Hamilton RA, Helmink R, Field-

man A. Lidocaine pharmacokinetics during CPR (abst.), 561

Chraemmer-Jorgensen B, see Klausen NO, jt. auth.

Christiansen J, see Kripke BJ, jt. auth.

Chung DC. Anaesthetic problems associated with the treatment of cardiovascular disease: III. Artificial pacemakers (Refresher Course outline), S1

Clarke IMC. The place of analgesics in chronic pain relief (Conference Summary), 260

Clarke RSJ. New drugs – boon or bane? Premedication and intravenous induction agents (Review article), 166

Clement JL, see Lam AM, jt. auth.

- see Knill RL, jt. auth.

Cohen AY, see Townsend GE, jt. auth.

Cole CP. Lidocaine and prevention of succinylcholine fasciculations and myalgia (abst.), \$65

Collins JG, see Brooks GZ, jt. auth.

Colwell JA, see Mordes D, jt. auth.

Comunale FL, see Kripke BJ, jt. auth.

Conliffe TF, see Folwy JE, jt. auth. Connolly MG, see Craven DE, jt. auth.

Coombs DW, Saunders RL, Mroz WT, Pageau MG.
Complications of continuous intraspinal narcotic analgesia (Correspondence), 315

Coonan TJ, Hope CE. Cardiorespiratory effects of change of body position (Continuing Medical Education Section), 424

Corall I, see Ward S, jt. auth.

Corall IM. How to give an anaesthetic using intravenous analgesics: a British method (Conference summary), 258

Cornud F, see Chastre J, it. auth.

Costello C, see Fragen RJ, jt. auth.

Côté J, see Biehl DR, it. auth.

Côté ME, see Lebowitz PW, jt. auth.

Cotton D, see Cherry M, jt. auth.

Couderc E, see Caramella JP, jt. auth.

Couture J, see Chartrand D, jt. auth.

- see Marty J, jt. auth.

Covino BG. Potential neurotoxicity of local anaesthetic agents (Editorial), 111

Covino BM, see Feldman HS, it. auth.

Craig DB. The annual meeting supplement (Editorial), 229

- 'A time of change' (Editorial), 3

Craven DE, Connolly MG, Lichtenberg DA, Primeau PJ, McCabe WR. Contamination of mechanical ventilators (abst.), 102

Crone RK, see Fosburg MT, jt. auth.

Crow J, see Slavin G, jt. auth.

Cruchley PM, Kaplan JA, Hug CC, Nagle D, Sumpter

R, Finucane D. Non-cardiac surgery in patients with prior myocardial revascularization (Clinical report), 629

Cubeddu LX, Zarate NA, Rosales CB, Zschaeck DW.
Prazosin and propanolol in preoperative management of pheochromocytoma (abst.), 310

Daniels A, see Lebowitz PW, jt. auth.

Dashfsky S, see Donen N, jt. auth.

Dasta JF, Jacobi J, Wu LS, et al. Loss of nitroglycerin to cardiopulmonary bypass apparatus (abst.), 440

Dave VB, see Tondare AS, jt. auth.

Davenport HT. Anaesthesia for the geriatric patient (Refresher Course outline), S51

Davies AO. Oral diazepam premedication reduces the incidence of post-succinylcholine muscle pains, 603

Davies JM, Strunin L. Analgesics in anaesthetic practice (Conference summary), 255

- see Strunin L, jt. auth.

Davison JK, see Lebowitz PW, jt. auth.

deBruijn N, see deLange S, jt. auth.

DeBruine K, see Fragen RJ, jt. auth.

De Champlain J, see Marty J, jt. auth.

deLange S, Stanley TH, Boscoe MJ, deBruijn N, Berman L, Robertson D. Catecholamine and cortisol responses to sufentanil-O₂ and alfentanil-O₂ anaesthesia during coronary artery surgery, 248

- see Nauta J, jt. auth.

Delorme M, see Hardy JF, jt. auth.

- see Paiement B, jt. auth.

Denson D, see Rosenblatt R, jt. auth.

Desmonts JM, see Caramella JP, jt. auth.

deVeth J, see Neufeld PD, jt. auth.

Dich-Nielson J, Holasek J. Ketamine as induction agent for Caesarean section (abst.), 101

Dierdorf SF, McNiece WL. Anaesthesia and pyruvate dehydrogenase deficiency (Clinical report), 413

Divekar VM, Kothari MD, Kamdar BM. Anaesthesia in Turner's syndrome (Clinical report), 417

Dixneuf B, see Blanloeil Y, jt. auth.

Dodgson BG, see Knill RL, jt. auth.

Donati F, Maille JG, Roof A, Blain R. Carbon dioxide production following coronary artery bypass surgery (abst.), \$66

- see Bevan DR, it. auth.

- see Futter ME, jt. auth.

Donchin Y, see Brooks GZ, jt. auth.

Donen N, Tweed W, Dashfsky S, Guttormson B. The esophageal obturator airway: an appraisal (Clinical report), 194

Doré CJ, see Slavin F, jt. auth.

Duke PC, see Soderman M, it. auth.

Duncan PG. Anaesthesia for patients with congenital heart disease (Refresher course outline), \$20

Dunn G, see Harris PW, jt. auth.

Dunn GL, Bennett KJ. Evaluation of a critical appraisal course in anaesthesia (abst.), \$87

 Morison DH, Ashton JC. Siemens PCO₂ gas analyser (Correspondence), 318

 Morison DH, Fargas-Babjak AM. Zomepirac as an analgesic premedication: a comparison of three dosage regimens, 331

Dupont E, see Paiement B, jt. auth.

Durrer D, see Durrer JD, jt. auth.

Durrer JD, Lie KI, van Capelle FJL, Durrer D. Nitroprusside in acute myocardial infarction (abst.), 309

Dydra I, see Paiement B, jt. auth.

Dye A, see Sear JW, jt. auth.

Dyke G, see Manson HJ, jt. auth.

Eberlein HJ, see Schulte-Sasse U, jt. auth.

Edelist G. Prophylaxis and management of postoperative problems (Continuing Medical Education), 558

- see Grinberg R, jt. auth.

Eiriksson CE, see Vestal RD, it. auth.

Ellis FR. Waterton's Wourali (Correspondence), 110

Fand RS, see Folwy JE, it. auth.

Fargas-Babjak AM, see Dunn GL, jt. auth.

- see Harris PW, jt. auth.

Feldman A, see Chow MSS, it. auth.

Feldman HS, Covino BM, Sage DJ. Chronotropic and inotropic effects of local anaesthetic agents (abst.), 310

Fell D, Chmielewski A, Smith G. Postoperative analgesia with oral controlled release morphine (abst.), 102

Ferraris VA, Swanson E. Aspirin usage and perioperative blood loss (abst.), 440

Finley GA, Steward DJ. Transcutaneous electric nerve stimulation for control of postoperative pain following spinal fusion in adolescents (abst.), S67

Finucane D, see Cruchley PM, jt. auth.

Flaherty JT, Magee PA, Gardner TL, Potter A, Mac-Allister NP. Nitroglycerin vs nitroprusside for postbypass hypertension (abst.), 219

Fletcher IR, see Healy HM, jt. auth.

Fletcher M. Colour coding of drug labels (Correspondence: reply), 109

Foley JE, Sigurdson MJ, Conliffe TF, Fand RS, Anthonisen NR. Beta blockers and pulmonary mechanics (abst.), 439 Forbes RB. General anaesthesia for day care surgery (Continuing Medical Education), 545

Ford RWJ. Confirming tracheal intubation – a simple manoeuvre (Clinical report), 191

Forrest JB, Chambers C. Effects of volatile anaesthetics on tracheal mucociliary transport (abst.), S76

 High frequency ventilation does not depress respiratory cilia function (abst.), \$77

Fosbrug MT, Crone RK. Nitrous oxide analgesia for refractory pain (abst.), 676

Fragen RJ, Funk DI, Avram MJ, Costello C, DeBruine K. Midazolam versus hydroxyzine as intramuscular premedicant, 136

Freye E, Hartung E, Schenk GK. Naloxone reverses the hypnotic effect and the depressed baroreceptor reflex of halothane anaesthesia in the dog, 235

Friedman AE, see Tremper KK, it. auth.

Friesen RM, Bonet JF. The antiarrhythmic effects of verapamil and propanolol in aminophylline toxic dogs, 124

Funk DI, see Fragen RJ, jt. auth.

Futter ME, Donati F, Sadikot AS, Bevan DR. Neostigmine antagonism of succinylcholine phase II block: a comparison with pancuronium, 575

 Whalley DR, Wynands JE, Bevan DR. Pancuronium requirements during hypothermic cardiopulmonary bypass in man (abst.), S73

Gale GD, Galloon S, Porter WR. Premedication with sublingual lorazepam (abst.), 676

Galloon S, see Gale GD, jt. auth.

Gardner TL, see Flaherty JT, jt. auth.

Gelb AW, see White JWC, it. auth.

Ghignone M, Prewitt RM, Razen M, Girling L, Slykerman L. Effects of increased viscosity on right ventricular function when pulmonary vascular resistance is elevated (abst.), S74

Gilbert C, see Chastre J, it. auth.

Gillman MA, Lichtigfeld FJ. The opiate and anti-opiate systems: Evidence for involvement in withdrawal responses (Correspondence), 565

Gilmore S, see Stanley TH, jt. auth.

Gintautas J, see Kraynack BJ, jt. auth.

Girling L, see Ghignone M, jt. auth.

- see Petkau D, it. auth.

Girvan DP, see McKishnie JD, jt. auth.

Goodarzi M, see Rita L, jt. auth.

Gordon A, see Grinberg R, it. auth.

Gordon I, see Heaf DP, jt. auth.

Gordon RA. Forty years onward, 460

Gotta AW, Carsons S, Abrams L, Sullivan C. Plasma

fibronectin during cardiopulmonary bypass (abst.), S73

Gough M, see Manson HJ, jt. auth.

Grant RP, Jenkins LC. Modification by preoperative beta-blockage on the renin responses to intrarenal aortic cross-clamping, 480

Gray RJ, see Moffitt EA, jt. auth.

Gregory GA, see Biehl DR, jt. auth.

- see Yarnell R, jt. auth.

Gretchen CW, see Ward CF, jt. auth.

Grinberg R, Edelist G, Gordon A. Postoperative malignant hyperthermia episodes in patients who received 'safe' anaesthetics (Clinical report), 273

Gross S, see Lee I, it. auth.

Gruener R, see Kripke BJ, jt. auth.

Guiney WB, see Sheep RE, jt. auth.

Guttormson B, see Donen N, it. auth.

Gyasi H, Williams A, Melloni C, Bevan DR. ORG NC45 for short intra-abdominal operations: a comparison with succinylcholine, 132

Haavik PE. Epidural morphine for analgesia after Caesarean section (Correspondence), 108

- Sleep apnoea syndrome (Correspondence), 316

Halter JB, see Vestal RD, jt. auth.

Hamilton RA, see Chow MSS, jt. auth.

Handzel ZT, see Rosenfeld A, it. auth.

Hannallah RS, Rosales JK. Experience with parents' presence during anaesthesia induction in children (Clinical report), 286

Hardy J-F. Stethoscope modification (Correspondence), 447

 Boulanger M, Maillé JG, Paiement B, Taillefer J, Sahab P, Delorme M. Arterial hypertension following coronary artery surgery: influence of the narcotic agent used for anaesthesia, 370

- see Blanc VF, jt. auth.

Harris PW, Morison DH, Dunn GL, Fargas-Babjak AM, Moudgil GC, Smedsted K, Woo J. A randomized double-blind comparison of intramuscular cimetidine and ranitidine (abst.), S80

Hartung E, see Freye E, jt. auth.

Hartwell WR. PCO₂ gas analyser (Correspondence: reply), 18

Hatch LR. Day care surgery: Do we and our patients need it? (Continuing Medical Education), 542

Haxholdt O, see Riis J, jt. auth.

Heaf DP, Helms P, Gordon I, Turner HM. Postural effects on gas exchange in infants (abst.), 562

Healy HM, Bourke JB, Fletcher IR, Rose JM. Profile of recovery after general anaesthesia (abst.), 675 Hedenstierna G, see Lundh R, jt. auth.

Helmink R, see Chow MSS, jt. auth.

Helms P. see Heaf DP. it. auth.

Hemmings CT, Weeks SK, Smith JB. Epidural anaesthesia for Caesarean section: lidocaine-HCl versus lidocaine-CO2 (abst.), S84

Herst R, see Balajchman MA, jt. auth.

Hess W, see Schulte-Sasse U, jt. auth.

Hewson JR, Shaw M. Continuous airway pressure with oxygen minimizes the metabolic lesion of 'pump lung', 37

Higgs BD, see Carli F, jt. auth.

- see Ramsay JG, jt. auth.

Hoffman C, see Chalon J, jt. auth.

Holasek J, see Dich-Nielson J, jt. auth.

Holland AJC, see Magee DA, jt. auth.

Hope CE, see Coonan TJ, jt. auth.

Howanitz PL, see Smulyan H, it. auth.

Hug CC, see Cruchley PM, it. auth.

Hunter JM, Jones RS. Renal haemodynamics with fentanyl (Correspondence), 450

Imrie DD. Rebreathing and the Bain circuit (Correspondence), 679

Itskovitz J, see LaGamma EF, jt. auth.

Jacob J-L, see Blanc VF, it. auth.

Jacobi J, see Dasta JF, jt. auth.

Jeevendra Martyn JA, see Lebowitz PW, jt. auth.

Jefferson SA, see Brooks GZ, jt. auth.

Jenkins LC, see Grant RP, jt. auth.

Jensen V, Milne B, Salerno T. Femoral-femoral cardiopulmonary bypass prior to induction of anaesthesia in the management of upper airway obstruction (Clinical report), 270

Jhamandas K, see Milne B, jt. auth.

Johnson DL, see Neufeld PD, jt. auth.

Johnson GG. Day care surgery for infants and children (Continuing Medical Education), 553

Jones RS, see Huner JM, jt. auth.

Kamdar BM, see Divekar VM, jt. auth.

Kaplan JA, see Cruchley PM, it. auth.

Kay JC, Noble WH. Lung water measurements in the presence of pulmonary emboli and PEEP (abst.), S75 Kay M. General anaesthesia in the private dental office

(Clinical report), 406

Keenan M. St. John Ambulance 1883-1983, 466

Kehler CH. Prostaglandins and anaesthesia (Refresher course outline), S14

Kelton JG, Perrault RA, Blajchman MA. Substitution of the 'group-and-screen' for the full crossmatch in elec- LaGamma EF, Itskovitz J, Rudolph AM. Effects of naloxtive operations (Review article), 641

Kenefick JP, Roth S. The effects of fentanyl, droperidol and nalozone on an isolated neuron preparation (abst.),

Keown PA, see White JWC, jt. auth.

Kerr CR, see Kissin I, jt. auth.

Kettner JD, see Petkau D, jt. auth.

Khaja F, Walton JA, Brymer JF et al. Intracoronary fibrinolytic therapy in acute myocardial infarction (abst.), 676

Kieraszweicz HT, Lam AM. Continuous monitoring of oxygenation during hypotensive anaesthesia - evaluation of an intravascular PO2 electrode (abst.), S62

- see Knill RL, jt. auth.

King FG, Ryan B, Manson HJ. Hazard of interchangeable oxygen connectors (Correspondence), 681

Kissin I, Kerr CR, Smith LR. Assessment of anaesthetic action of morphine and fentanyl in rats, 623

Kitahata LM, see Brooks GZ, jt. auth.

Klausen NO, Wiberg-Jorgensen F. Chraemmer-Jorgensen B. Psychomimetic reactions after low-dose ketamine (abst.), 440

Klein DS, Wilds PR. Pulmonary toxicity of antineoplastic agents: Anaesthetic and postoperative implications (Review article), 399

Knill RL, Kieraszewicz HT, Dodgson BG, Clement JL. Chemical regulation of ventilation during isoflurane sedation and anaesthesia in humans, 607

- Lok PYK, Strupat JP Lam AM. Blood solubility of isoflurane measured by a multiple gas phase equilibration technique, 155

- see Lam AM, jt. auth.

see Prato FS, it. auth.

Knodel AR, Beekman JF. Fever in patients with nasotracheal intubation (abst.), 309

Kobayashi T, see Sada T, jt. auth.

Koishi K, see Yamashita M, jt. auth.

Konichezky S, see Rosenfeld A, jt. auth.

Koopman D, see Nauta J, jt. auth.

Kothari MD, see Divekar VM, jt. auth.

Kothary SP, see Samra SK, jt. auth.

Kozody F, Cheney F. Effects of lidocaine on hypoxic pulmonary vasoconstriction in dogs (abst.), S76

Kraynack BJ, Lawson NW, Gintautas J. Neuromuscular blocking action of verapamil in cats, 242

Kreutner K, see Mordes D, jt. auth.

Kripke BJ, Blanck TJ, Sizemore DA, Comunale FL, Christiansen J. Gruener R. Association of postanaesthetic hyperthermia with abnormal muscle characteristics: a case report (Clinical report), 290

one on foetal circulatory responses to hypoxemia (abst.), 310

Lam AM, Knill RL, Thompson WR, Clement JL, Varkey GP, Spoerel WE. Epidural fentanyl does not cause delayed respiratory depression (abst.), \$78

- see Kieraszewicz HT, jt. auth.

- see Knill RL, jt. auth.

- see Nicholas JF, jt. auth.

Lamarche Y, see Martin R, jt. auth.

Lapin R, see Tremper KK, jt. auth.

Lawson NW, see Kraynack BJ, jt. auth.

Lebowitz PW, Cote ME, Daniels AL, Jeevendra Martyn JA, Teplick RS, Davison JK, Sunder N. Cardiovascular effects of midazolam and thiopentone for induction of anaesthesia in ill surgical patients, 19

Lee I, Chalon J, Ramanathan S, Gross S, Turndorf H.
Analgesic properties of meperidine, amitriptyline and phenelzine in mice, 501

Lerman J, Chinyanga HM. The heart rate response to succinylcholine in children: a comparison of atropine and glycopyrrolate, 377

Levin S, see Rosenfeld A, jt. auth.

Levine M, see Tremper KK, jt. auth.

Lichtenberg DA, see Craven DE, jt. auth.

Lichtigfeld FJ, see Gillman MA, jt. auth.

Lie KI, see Durrer JD, jt. auth.

Lin C-Y. Uptake of nitrous oxide by man (Correspondence), 447

Linder L, see Lyall RN, jt. auth.

Lok PYK, see Knill RL, jt. auth.

Lomholt B, see Riis J, jt. auth.

Lundh R, Hedenstierna G. V/Q relationships during anaesthesia (abst.), 562

Lyall RN, Linder L. Mounting of the Bain circuit (Correspondence), 224

McAllen MK, see Barer MR, jt. auth.

MacAllister NP, see Flaherty JT, it. auth.

McAnulty JH, Rahimatoola SH, Murphy E et al. Natural history of 'high-risk' bundle-branch block (abst.), 220

McCabe WR, see Craven DE, it. auth.

MacDonald S, see Browne RA, jt. auth.

McDougall MJ, see Moffat JA, jt. auth.

McErlane B, see Bylsma-Howell M, jt. auth.

McIntyre AL. Self-assessment questions: Cardio-respiratory effects of change of body position, 438

McKishnie JD, Muir JM, Girvan DP. Anaesthesia induced rhabdomyolysis – a case report (Clinical report), 295

McLeod ME, Roy L. Anaesthesia and upper respiratory tract infection in the paediatric patient (abst.), S86

McMorland GH, see Bylsma-Howell M, jt. auth.

McNiece WL, see Dierdorf SF, jt. auth.

McTaggart RA. Selection of patients for a day care surgery (Continuing Medical Education), 543

Magee PA, see Flaherty JT, jt. auth.

Maillé JG, see Donati F, jt. auth.

- see Hardy JF, jt. auth.

- see Paiement B, jt. auth.

Magee DA, Sweet PT, Holland AJC. Epidural anaesthesia with mixtures of bupivicaine and lidocaine (Clinical report), 174

Maister AH. Atrial fibrillation following physostigmine (Clinical report), 419

Malbezin S, see Caramella JP, jt. auth.

Mallampati SR. Clinical sign to predict difficult tracheal intubation (hypothesis) (Correspondence), 316

 Epidural anaesthesia and pulmonary hypertension (Correspondence: reply), 446

 Low thoracic epidural anaesthesia for elective cholecystectomy in a patient with congenital heart disease and pulmonary hypertension, 72

Maltby JR, Watkins DMB. Repeat ketamine anaesthesia of a child for radiotherapy in the prone position (Clinical report), 526

- see Calverley RK, jt. auth.

Manning FA. Obstetric update: Antepartum assessment of the foetus and its environment (Continuing Medical Education), 88

Manson, HJ, Dyke G. The opiate and anti-opiate system (Correspondence: reply), 565

 Dyke G, Melling J, Gough M. The effect of naloxone and morphine on convulsions in mice following withdrawal from nitrous oxide, 28

Martin R, Lamarche Y, Tetrault JP. Epidural and intrathecal narcotics (Continuing Medical Education), 662

Tetrault JP, Tetreault L, Lamarche Y, Veilleus LJ.
 Epidural morphine in obstetrical analgesia: effect of epinephrine addition (abst.), S72

Martineau R, Noble WH. Hypoxaemia created by pulmonary oedema after pulmonary microemboli in dogs, 117

Marty J, Couture J, De Champlain J. Plasma sulfate conjugated catecholamines during anaesthesia (abst.), S82

Martyn JA, see Jeevendra Martyn JA, jt. auth.

Matloff JM, see Moffitt EA, jt. auth.

Matthews RL. Blood transfusion services of the Canadian Red Cross (Editorial), 322

Matsuki A, see Yamashita M, jt. auth.

Mayhew JF. Cardiovascular collapse associated with nitrous oxide administration (Correspondence), 226

 and Taylor B. Anaesthetic considerations in the Prader-Willi syndrome (Correspondence), 565

Meij S, see Prakash O, jt. auth.

Melling J, see Manson HJ, jt. auth.

Melloni C, see Gyasi H, jt. auth.

Melzer E, see Sonnenblick M, jt. auth.

Metzker W, see Mordes D, jt. auth.

Milne B, Cervenko FW, Jhamandas K. Intrathecal clonidine: analgesia and effect on opiate withdrawal in the rat (abst.), S83

- Rogers K, Cervenko F, Salerno T. The haemodynamic effects of intraaortic versus intravenous administration of protamine for reversal of heparin in man, 347
- see Jensen V, jt. auth.
- see Moffat JA, jt. auth.

Milot J, see Blanc VF, it. auth.

Mizgala HF. The calcium channel blockers: Pharmacology and clinical applications, S5

Moffat JA, Milne B. Pharmacokinetics in anaesthesia (Continuing Medical Education), 300

- McDougall MJ, Brunet D, Saunders F, Shelley ES, Cervenko FW, Milne B. Thiopental bolus during carotid endarterectomy – rational drug therapy, 615
- McDougall M, Spence D, Saunders F, Shelley ES, Cervenko FW, Brunet D, Milne B. Thiopental bolus before clamping during carotid endarterectomy – rational drug therapy? (abst.), S79
- Moffitt EA, Sethna DH, Gray RJ, Raymond MJ, Bussell JA, Matloff JM. Myocardial and systemic effects of nitroglycerin, given awake and during anaesthesia in coronary patients, 352
- Sethna DH, Gray RJ, Raymond MJ, Matloff JM, Bussell JA. Nitrous oxide added to halothane reduces coronary flow and myocardial oxygen consumption in patients with coronary disease, 5

Mordes D, Kreutner K, Metzker W, Colwell JA. Dangers of intravenous ritodrine in diabetic patients (abst.), 102

Morgan M, see Rutter DV, jt. auth.

Morison DH, see Dunn GL, jt. auth.

- see Harris PW, jt. auth.

Motaweh MM, see Okasha AS, it. auth.

Moudgil GC, see Harris PW, jt. auth.

Mroz WT, see Coombs DW, jt. auth.

Muir JM, see McKishnie JD, jt. auth.

Murakami S, see Sada T, jt. auth. Murphy E, see McAnulty JH, jt. auth.

Musser B, see Vestal RD, jt. auth.

Mutch WAC, Thomson IR. Delivery systems for intravenous nitroglycerin (Brief review), 98

Nadkarni AV, see Tondare AS, jt. auth.

Nagle D, see Cruchely PM, jt. auth.

Naiman SC. Coagulation, S11

Nauta J, Stanley TH, De Lange S, Koopman D, Van Kleef J. Anaesthetic induction with alfentanil: comparison with thiopental, midazolam, and etomidate, 53

Neill EAM, see Ward S, it. auth.

Neufeld PD, Johnson DL. Results of the Canadian Anaesthetists' Society opinion survey on anaesthetic equipment, 469

 Johnson DL, deVeth J. Safety of anaesthesia breathing circuit connectors (Technical communications), 646

Nicholas JF, Lam AM. Isoflurane-induced hypotension does not increase pulmonary shunting or physiological dead space (abst.), S68

Noble WH. Lung water (Refresher course outline), S46

- see Kay JC, jt. auth.
- see Martineau R, it. auth.

Nunn JF, see Slavin G, jt. auth.

Odoom JA, Sih IL. Epidural analgesia and anticoagulant therapy (abst.), 561

Okasha AS, Motaweh MM, Bali A. Cimetidine-antacid combination as premedication for elective Caesarean section, 593

Olsen CO, see Rankin JS, jt. auth.

Ong BY, Bradford CR. Intrapartum foetal monitoring (Continuing Medical Education), 91

 Tweed WA, Yarnell R, Sitar DS. Foetal responses to acute haemorrhage under halothane anaesthesia (abst.), S85

Ongley R, see Bylsma-Howell M, it. auth.

Otton PR, see Sprigge JS, it. auth.

Oyama T, see Yamashita M, jt. auth.

Ozaki LK, see Vestal RD, jt. auth.

Pageau MG, see Coombs DW, jt. auth.

Paiement B, Pelletier C, Dydra I, Maillé JG, Boulanger M, Taillefer J, Sahab P, Delorme M, Dupont E.
A simple classification of the risk in cardiac surgery (Clinical report), 61

- see Hardy JF, jt. auth.

Paineau J, see Blanloeil Y, jt. auth.

Palazzo MGA, Sabourin MA, Strunin L. Modern infusion pumps: are they accurate? (Technical communication), 655

Pandit SK, see Samra SK, it. auth.

Pandit UA, see Samra SK, jt. auth.

Pavlin EG. Anaesthesia for the traumatized patient: Refresher Course outline, S27

Pelletier C, see Paiement B, jt. auth.

Perrault RA, see Blajchman MA, jt. auth.

- see Kelton JG, jt. auth.

Petkau D, Kettner JD, Slykerman L, Girling J, Prewitt RM. Volume versus dopamine to maintain cardiac output as right ventricular afterload increases (abst.), \$68

Phipps JA. Principles of measurement of plasma concentration of fentanyl and its analogues (Conference summary), 261

 Sabourin MA, Buckingham W, Strunin L. Measurement of plasma fentanyl concentration: comparison of three methods, 162

Pietak SP. The anaesthetic ventilator: Refresher course outline, S42

Porter WR, see Gale GD, jt. auth.

Potter A, see Flaherty JT, jt. auth.

Powles ACP, see Smedstead KG, jt. auth.

Prakash O, Meij S, Van Der Borden B. Spontaneous ventilation test vs intermittent mandatory ventilation (abst.), 219

Prato FS, Knill RL. Diazepam sedation reduces functional residual capacity and alters the distribution of ventilation in man, 493

Prewitt RM, see Ghignone M, it. auth.

- see Petkau D, jt. auth.

Priano LL. Effects of high-dose fentanyl on renal haemodynamics in conscious dogs, 10

Renal haemodynamics with fentanyl (Correspondence: reply), 451

Price JDE, see Bylsma-Howell M, jt. auth.

Primeau PJ, see Craven DE, jt. auth.

Prys-Roberts C, see Sear JW, jt. auth.

Rahimatoola SH, see McAnulty JH, jt. auth.

Raj P, see Rosenblatt R, jt. auth.

Ramanathan S, see Chalon J, jt. auth.

- see Lee I, jt. auth.

Ramsay JG, Higgs BD, Townsend GE, Wynands JE.

Ventilatory response to CO₂ following high dose fentanyl for aortocoronary bypass surgery: effect of nal-buphine HCl (abst.), S70

Ramsay RA, see Catchlove RFH, jt. auth.

Rankin JS, Olsen CO, Arentzen CE et al. Mechanisms of cardiovascular effects of PEEP (abst.), 219

Raymond MJ, see Moffitt EA, jt. auth.

Razen M, see Ghignone M, jt. auth.

Reddy P, see Stanley TH, jt. auth.

Riggs KW, see Bylsma-Howell M, jt. auth.

Riis J, Lomholt B, Haxholdt O et al. Mental recovery from anaesthesia (abst.), 675

Rita L, Seleny FL, Goodarzi M. Comparison of oral pentazocine oral diazepam and intramuscular pentazocine for paediatric premedication, 512

Roberts C, see Chalon J, jt. auth.

Robertson D, see deLange S, jt. auth.

Rogers K, see Milne B, jt. auth.

Rolbin S. Epidural morphine for anaesthesia after Caesarean section (Correspondence: reply), 108

Ronfeld RA, see Chow MSS, jt. auth.

Roof A, see Lonati F, jt. auth.

Rosales CB, see Cubeddu JX, jt. auth.

Rosales JK, see Hannallah RS, jt. auth.

Rosenblatt R, Wright R, Denson D, Raj P. Continuous epidural infusions for obstetric analgesia (abst.), 561

Rosenfeld A, Handzel ZT, Konichezky S, Levin S, Soroker D. Cell-mediated immune suppression due to alfathesin in short-term anaesthesia, 522

Rosin AJ, see Sonnenblick M, jt. auth.

Ross AL. How to give an anaesthetic using intravenous analgesics: an alternative from California (Conference summary), 259

Roth SH. Cellular activity and mechanisms of analgesia (Conference summary), 256

- see Kenefick JP, jt. auth.

Roy L, see McLeod ME, jt. auth.

Rudolph AM, see LaGamma EF, it. auth.

Rurak DW, see Bylsma-Howell M, jt. auth.

Rutter DV, Shewes DG, Morgan M. Comparison of epidural meperidine, fentanyl and morphine (abst.), 101

Sabourin MA, see Palazzo MGA, jt. auth.

- see Phipps JA, jt. auth.

Sada T, Kobayashi T, Murakami S. Continuous axillary brachial plexus block (Clinical report), 201

Sadikot AS, see Futter ME, it. auth.

Sage DJ, see Feldman HS, jt. auth.

Sahab P, see Hardy JF, jt. auth.

- see Paiement B, jt. auth.

Saidman LJ, see Ward CF, jt. auth.

Salerno T, see Jensen V, jt. auth.

- see Milne B, jt. auth.

Samra SK, Pandit UA, Pandit SK, Kothary SP. Modification by halogenated anaesthetics of chronotropic response during reversal of neuromuscular blockade, 48 Sathe CH, see Tondare AS, jt. auth.

Saunders B. Neuroanaesthesia: Refresher course outline, S39

Saunders F, see Moffat JA, jt. auth.

Saunders RL, see Coombs DW, it. auth.

Schenk GK, see Freye E, jt. auth.

Schulte-Sasse U, Hess W, Eberlein HJ. Postoperative malignant hyperthermia and dantrolene therapy (Clinical report), 641

Schwinn W, Zbinden A, Skarvan K. Induction of anaesthesia with alfentanil (Correspondence), 451

Sear JW, Prys-Roberts C, Dye A. Hepatic function after anaesthesia (abst.), 675

Seleny FL, see Rita L, it. auth.

Sethna DH, see Moffitt EA, jt. auth.

Shaw M, see Hewson JR, jt. auth.

Sheep RE, Guiney WB. Fatal cardiac tamponade after left internal jugular catheterization (abst.), 220

Shelley ES, see Moffat JA, jt. auth.

Sigurdson MJ, see Foley JE, jt. auth.

Sih IL, see Odoom JA, jt. auth.

Simon K, see Birkhahn JH, jt. auth.

Sitar D, see Biehl DR, jt. auth.

- see Ong BY, it. auth.

- see Yarnell R, jt. auth.

Sizemore DA, see Kripke BJ, jt. auth.

Skarvan K, see Schwinn W, jt. auth.

Skewes DG, see Rutter DV, jt. auth.

Slavin G, Nunn JF, Crow J, Doré CJ. Bronchiolectasis following artificial ventilation (abst.), 309

Sloan IAJ. The Canadian Anaesthetists' Society opinion survey on anaesthetic equipment (Editorial), 458

Slykerman L, see Ghignone M, jt. auth.

- see Petkau D, jt. auth.

Smedsted K, see Harris PW, jt. auth.

Smedstead KG, Powles ACP. Evaluation of transcutaneous PCO₂ measurement during anaesthesia (abst.), S63

Smith G, see Fell D, jt. auth.

Smith JB, see Hemmings CT, it. auth.

Smith LR, see Kissin I, jt. auth.

Smulyan H, Weinberg SE, Howanitz PL. Continuous propranolol infusion following surgery (abst.), 101

Soderman M, Duke PC. Stability of carbonated lidocaine (abst.), S71

Sonnenblick M, Melzer E, Rosin AJ. Body position and gas exchange in pleural effusion (abst.), 562

Soroker D, see Rosenfeld A, jt. auth.

Spence D, see Moffat JA, jt. auth.

Spoerel WE. Rebreathing and end-tidal CO₂ during spontaneous breathing with a Bain circuit, 148

- Rebreathing and the Bain circuit (Correspondence: reply), 680
- see Lam AM, jt. auth.
- see Webb E, jt. auth.

Sprigge JS, Otton PR. Nalbuphine versus meperidine for postoperative analgesia. A double blind comparison using the patient controlled analgesic technique, 517

Stanley TH. The new intravenous analgesics (and some of the old) (Conference summary), 263

- and Nauta J. Induction of anaesthesia with alfentanil (Correspondence: reply), 452
- Reddy P, Gilmore S, Bennett G. The cardiovascular effects of high-dose butorphanol-nitrous oxide anaesthesia before and during operation, 337
- see deLange S, jt. auth.
- see Nauta J, jt. auth.

Stanski DR. Narcotic pharmacokinetics (Conference summary), 257

Stevenson AL. The Canadian Medic-Alert Foundation, 573

Steward DJ. Anticholinergic premedication for infants and children (Editorial), 325

- Anticholinergic premedication for infants and children (Correspondence: reply), 684
- and Volgyesi GA. The performance of humidifiers equipped with heated gas delivery systems (abst.), S62
- see Finley GA, jt. auth.

Stiller CR, see White JWC, jt. auth.

Strunin L, Davies JM. The liver and anaesthesia (Continuing Medical Education), 208

- see Davies JM, it. auth.
- see Palazzo MGA, jt. auth.
- see Phipps JA, jt. auth.
- see Williams JG, jt. auth.

Strupat J, see Knill RL, jt. auth.

Sullivan C, see Gotta AW, jt. auth.

Sumpter R, see Cruchely PM, jt. auth.

Sunder N, see Lebowitz PW, it. auth.

Sutherland G, Bevan JC, Bevan DR. Neuromuscular blockade in infants following intramuscular succinylcholine in two or five per cent concentration, 342

Swanson E, see Ferraris VA, it. auth.

Swanson GD, Virtue RW, Sherill D. Uptake of nitrous oxide by man (Correspondence: reply), 449

Sweet PT, see Magee DA, jt. auth.

Tadmor C, see Birkhahn JH, jt. auth.

Taillefer J, see Hardy JF, jt. auth.

- see Paiement B, jt. auth.

Taylor B, see Mayhew JF, it. auth.

Taylor HJC. Clinical experience with continuous epidural infusion of bupivacaine at 6 ml per hour in obstetrics (Clinical report), 277

Teplick RS, see Lebowitz PW, jt. auth.

Tetrault JP, see Martin R, jt. auth.

Tetreault L, see Martin R, jt. auth.

Thompson WR, see Lam AM, jt. auth.

Thomson IR, see Mutch AC, it. auth.

Tondare AS, Nadkarni AV, Sathe CH, Dave VB. Femoral neuropathy: a complication of lithotomy position under spinal anaesthesia, report of three cases, 84

Townsend GE, Wynands JE, Whalley DG, Cohen AY, Bessette MC. A profile of intravenous nitroglycerin use in cardiopulmonary bypass surgery, 142

- see Ramsay JG, it. auth.

Tremper KK, Friedman AE, Levine EM, Lapin R, Camarillo D. Use of perfluorochemical oxygen-transport fluid (abst.), 439

Tsubo T, see Yamashita M, jt. auth.

Turndorf H, see Chalon J, jt. auth.

- see Lee I, it. auth.

Turner HM, see Heaf DP, jt. auth.

Tweed WA, see Donen N, jt. auth.

- see Ong BY, jt. auth.

- see Yarnell R, jt. auth.

van Cappelle FJL, see Durrer JD, jt. auth.

Van Der Borden B, see Prakash O, jt. auth.

van Kleef J, see Nauta J, jt. auth.

Varkey GP, see Lam AM, jt. auth.

Vatashsky E, Aronson GB. Flunitrazepam protects mice against lidocaine and bupivacaine-induced convulsions, 32

Veilleux LJ, see Martin R, jt. auth.

Vestal RD, Eiriksson CE, Musser B, Ozaki LK, Halter JB. Sympathetic effect of aminophylline (abst.), 439

Viau F, see Chastre J, jt. auth.

Villanueva R, see Casthely PA, jt. auth.

Vissett J, see Blanloeil Y, jt. auth.

Volgyesi GA, see Steward DJ, jt. auth.

Wade JG, see Biehl DR, jt. auth.

Walpert L, see Chalon J, jt. auth.

Walsh MP. Calmodulin and its roles in skeletal muscle function (Review article), 390

Walton JA, see Khaja F, jt. auth.

Ward CF, Gretchen CW, Saidman LJ. Drug abuse in anaesthesia training programs (abst.), 675

Ward S, Wright I, Corall I, Neill EAM. Combined pharmacokinetic and pharmacodynamic studies with atracurium besylate (in normal patients and patients with hepatic and renal failure) (abst.), \$81

Waterman PM. Anaesthesia for liver transplantation – a model for the anaesthetic management of end-stage hepatic failure (Refresher Course outline), \$34

Watkins DMB, see Maltby JR, jt. auth.

Webb E, Spoerel WE. General anaesthesia in dentistry (Editorial), 328

Weeks SK, see Hemmings CT, jt. auth.

Weinberg SE, see Smulyan H, jt. auth.

Wexler H, see White JWC, jt. auth.

Whalley DG, see Townsend GE, it. auth.

Whalley DR, see Futter ME, jt. auth.

White JWC, Gelb AW, Wexler HR, Stiller CR, Keown PA. Effects of intravenous anaesthetic agents on human neutrophil chemiluminescence, 506

Wiberg-Jorgensen F, see Klausen NO, jt. auth.

Wilds PR, see Klein DS, jt. auth.

Williams A, see Gvasi H, jt. auth.

Williams JG. H₂ receptor antagonists and an aesthesia (Review article), 264

- Interactions of H₂ receptor antagonists with narcotics (Conference summary), 262
- and Strunin L. A comparative trial of intramuscular cimetidine and ranitidine (abst.), S81

Wolf GL, Capuano C. Anterior chamber sulfur hexafluoride volume increase during nitrous oxide anaesthesia (abst.), S64

Woo J, see Harris PW, it. auth.

Wright R, see Rosenblatt R, it. auth.

Wright WI, see Ward S, jt. auth.

Wu LS, see Dasta JF, it. auth.

Wynands JE, see Futter ME, jt. auth.

- see Ramsay JG, jt. auth.
- see Townsend GE, jt. auth.

Yamashita M, Koishi K, Yamaya R, Tsubo T, Matsuki A, Oyama T. Anaesthetic considerations in the Prader-Willi syndrome: report of four cases (Clinical report), 179

Yamaya R, see Yamashita M, jt. auth.

Yarnell R, Biehl DR, Tweed WA, Gregory GA, Sitar D.

The effect of halothane anaesthesia on the asphyxiated foetal lamb in utero. 474

- see Biehl DR, it. auth.
- see Ong BY, jt. auth.

Zarate NA, see Cubeddu LX, jt. auth. Zschaeck DW, see Cubeddu LX, jt. auth. Zvinden A, see Schwinn W, jt. auth.

Canadian Anaesthetists' Society Journal

Index of Subjects

VOLUME 30, 1983

Airway

- obstruction, upper, cardiopulmonary bypass prior to induction of anaesthesia in management of: clinical report (Jensen, Milne and Salerno), 270
- see also Equipment

Alfentanil, see Anaesthetics, Intravenous; Analgesics Aminophylline, see Pharmacology

Amitriptyline, see Ataractics, antidepressants, tricyclin Anaesthesia

- and H₂ receptor antagonists: review article (Williams), 264
- cardiovascular
 - estimate of risk of, in surgery: clinical report (Paiement et al.), 61
 - influence of narcotic agents used in, on arterial hypertension following coronary artery surgery (Hardy et al.), 370
 - pre-operative beta-blockade modification of the renin response to infra-renal aortic cross-clamping (Grant and Jenkins), 480
 - sufentanil and alfentanil for surgery (deLange et al.), 248
- dental
 - general anaesthesia in: editorial (Webb), 328
 - outpatient: clinical report (Kay), 406

general, see Anaesthetic techniques, inhalation

- geriatric
 - mental recovery from, general versus epidural: abst. (Riis et al.), 657
 - refresher course outline (Davenport), S51
- induction
 - with alfentanil, comparison with thiopental, midazolam and etomidate (Nauta et al.), 53
 - with alfentanil, correspondence (Schwinn, Zbindin and Skarvan), 452; reply (Stanley and Nauta), 452
- obstetric
 - Caesarean section
 - epidural lidocaine-HCl versus lidocaine-CO₂: abst. (Hemmings et al.), S84
 - epidural morphine analgesia after: correspondence (Haavik), 108; reply (Rolbin), 108

- epidural morphine does not affect duration of action of epidural 2-chloroprocaine following (Brooks et al.), 598
- epidural morphine, effect of epinephrine addition: abst. (Martin et al.), S72
- ketamine, as an induction agent: abst. (Dich-Nielsen and Holasek), 101
- premedication with cimetidine-antacid combination (Motaweh and Bali), 593
- continuing medical education (University of Manitoba), 87
- continuous epidural infusion, abst. (Rosenblatt et al.), 56¹
- continuous epidural infusion of bupivacaine at 6 ml per hour; clinical report (Taylor), 277
- foetus of the lamb *in utero*, uptake of halothane by (Biehl *et al.*), 24
- newborn, resuscitation of, at delivery: continuing medical education (Biehl), 95
- placental transport of metoclopramide, maternal and neonatal effects (Bylsma-Howell et al.), 487
- uptake of isoflurane by the foetal lamb in utero,
 effect on regional blood flow (Biehl et al.), 581
- outpatient
 - general for day care surgery: continuing medical education (Forbes), 545; regional (Bridenbaugh),
 - premedication (Dunn et al.), 331
- paediatric
- anticholinergic premedication in: editorial (Steward),
 325; correspondence (Blanc), 683; reply (Steward),
 684
- for day care surgery: continuing medical education (Johnson), 553
- heart rate response to succinylcholine in, comparison of atropine and glycopyrrolate (Lerman and Chinanga), 377
- in cases of pyruvate dehydrogenase deficiency: clinical review (Dierdorf and McNiece), 413
- in patients with upper respiratory tract infection: abst. (McLeod and Roy), S86

- in the Prader-Willi syndrome: clinical report (Yamashita et al.), 179; correspondence (Mayhew and Taylor), 565
- neuromuscular blockade following intramuscular succinylcholine in (Sutherland, Bevan and Bevan), 342
- oculocardiac reflex analysis in strabismus surgery (Blanc et al.), 360
- outpatient, psychological effects of parents' presence during induction of: clinical report (Hamallah and Rosales), 286; correspondence (Birkham, Tadmoo and Simon), 679
- premedication, comparison of oral pentazocine, diazepam and intramuscular pentazocine (Rita, Seleny and Goodarzi), 512
- prostaglandins and: refresher course outline (Kehler),
 \$4
- recovery, effect of diazepam sedation on (Prato and Knill), 493
- ventilation-perfusion relationships during: abst.
 (Lundh and Hedenstierna), 562
- Anaesthesiologists, extension of responsibilities (Gordon), 464
- Anaesthesiology, changes over forty years (Gordon), 460

Anaesthetic techniques

- epidural
 - and anticoagulant therapy: abst. (Odoom and Sih),
 561
 - and pulmonary hypertension: correspondence (Burrows), 445; reply (Mallampati), 446
 - continuous infusion of bupivacaine at 6 ml per hr.
 in obstetrics: clinical report (Taylor), 277
 - fentanyl does not cause delayed respiratory depression: abst. (Lam et al.), \$78
 - for elective cholecystectomy in a patient with congenital heart disease and pulmonary hypertension: clinical report (Mallampati), 72
 - for obstetric analgesia: abst. (Rosenblatt et al.), 561
 - in Caesarean section (Brooks et al.), 598
 - with mixtures of bupivicaine and lidocaine: clinical report (Magee, Sweet and Holland), 175
 - hepatic function following, four techniques compared: abst. (Sear), 675
- hypotension
 - continuous monitoring of oxygenation elevation of an intravascular PO₂ electrode: abst. (Kieraszewicz and Lam), S62
 - induced, nitroprusside in acute myocardial infarction: abst. (Durrer), 309

- isoflurane induced, effect on pulmonary shunting and physiological dead space: abst. (Nichols and Lam), \$68
- nitroglycerin delivery systems in obstetric anaesthesia: continuing medical education (Mutch), 98
- inhalation
- general in dentistry: editorial (Webb), 328
- general, recovery from: abst. (Healy et al.), 675
- intravenous
 - analgesics, a British method: conference summary (Corall), 258
 - analgesics, a California alternative to the British method: conference summary (Ross), 259
- intubation, tracheal, a simple manoeuvre: clinical report (Ford), 191
- neuroanaesthesia: refresher course outline (Saunders),
 S38
- non-rebreathing, Bain circuit, rebreathing and endtidal CO₂ during spontaneous breathing with (Spoerel), 148; correspondence (Imrie), 679; reply (Spoerel), 680
- regional
 - continuous axillary brachial plexus block: clinical report (Sada, Kobayashi and Murakami), 201
 - for outpatient surgery: continuing medical education (Bridenbaugh), 548

Anaesthetics

 colour coding of drug labels: correspondence (Bates), 109; reply (Fletcher), 109

Anaesthetics, gases

- nitrous oxide
 - added to halothane reduces coronary flow and myocardial oxygen consumption in patients with coronary disease (Moffitt et al.), 5
 - and congenital heart disease: refresher course outline, S24
 - and high dose butorphanol, cardiovascular effects of (Stanley et al.), 337 anterior chamber sulfur hexafluoride volume increase during: abst. (Wolf and Capuano), S64 causing cardiovascular collapse: correspondence (Mayhew), 226; reply (Chinyanga), 226 effect of naloxone on convulsions in mice following withdrawal of (Manson et al.), 28; correspondence (Gillman and Lichtigfeld), 564; reply (Manson and Dyke), 565
 - uptake by man: correspondence (Lin), 447; reply (Swanson, Virtue and Sherrill), 448

Anaesthetics, intravenous

- alfathesin
 - cell-mediated immune suppression due to, in shortterm anaesthesia (Rosenfeld et al.), 522
 effect on microbial oxidative function of human neutrophils (White et al.), 506
- alfentanil, anaesthesia, induced with, compared with midazolam, thiopental and etomidate (Nauta et al.), 53
- cellular-mediated immune suppression due to alfathesin in short term anaesthesia (Rosenfeld et al.), 522
- diazepam
 - effect on microbial oxidative function of human neutrophils (White et al.), 506
- di-isopropylphenal and premedication agents: review (Clarke), 166
- effects on human neutrophil chemiluminescence (White et al.), 506
- etomidate, anaesthetic induction with, compared to alfentanil (Nauta et al.), 53
- fentanyl
 - and congenital heart disease: refresher course outline, S24
 - and morphine assessment of action in rats (Kissin, Kerr and Smith), 623
 - droperidol and naloxone, effect on isolated neuron preparation: abst. (Kenefick and Roth), S83
 - effects of high dose of, on renal haemodynamics in conscious dogs (Priano), 10
 - renal haemodynamics: correspondence (Hunter and Hones), 450
 - ventilatory response to CO₂ following, for aortocoronary bypass, effect of nalbuphine: abst.
 (Ramsay et al.), S70
- immunity, cell-mediated suppression of, due to alfathesin (Rosenfeld et al.), 522
- ketamine
 - and congenital heart disease, refresher course outline, S24
 - and premedication agents: review (Clarke), 166
 - as induction agent for Caesarean section: abst.
 (Dich-Nielson and Holasek), 101
 - psychomimetic reactions, low dose compared to neurolept-anaesthesia: abst. (Klausen et al.), 440
 - repeat use, in a child for radiotherapy in the prone position: clinical report (Maltby and Watkins), 526
- methohexitone, effect on microbial oxidative function of human neutrophils (White et al.), 506
- midazolam
 - and premedication agents: review (Clarke), 166

- and thiopentone for induction of anaesthesia in ill surgical patients, cardiovascular effects of (Lebowitz et al.), 19
- as anaesthetic induction agent compared with alfentanil (Nauta et al.), 53
- minaxolone, and premedication agents: review (Clarke), 166
- morphine
 - and fentanyl, assessment of action in rats (Kissin, Kerr and Smith), 623
 - effect on microbial oxidative function in human neutrophils (White et al.), 506
- neurolept, compared with ketamine, psychomimetic reactions: abst. (Klausen et al.), 440
- thiopental
 - anaesthetic induction with, compared with alfentanil (Nauta et al.), 53
 bolus during carotid endarterectomy, barbiturate protection (Moffat et al.), 615
 cerebral effects of, relation with fall in resting endexpiratory volume: abst. (Chartrand and Couture), S64
- thiopentone
 - and midazolam, for induction of anaesthesia in ill surgical patients, cardiovascular effects of (Lebowitz et al.), 19
 effect on microbial oxidative function in human neutrophils (White et al.), 506

Anaesthetics, Local

- bupivacaine
 - and lidocaine mixtures for epidural anaesthesia: clinical report (Magee, Sweet and Holland), 174
 - continuous epidural infusion at 6 ml per hour in obstetrics: clinical report (Taylor), 277
 - induced convulsions in mice, flunitrazepam as a protection against (Vatashsky and Aronson), 32
- chloroprocaine
 - epidural, duration of action following Caesarean section, effect of epidural morphine on (Brooks et al.), 598
 - potential neurotoxicity of: editorial (Covino), 111
- chronotropic and enotropic effects of: abst. (Feldman et al.), 310
- hypersensitivity to, direct challenge test: abst. (Barer and McAllen), 102
- lidocaine
 - and bupivacaine mixtures for epidural anaesthesia: clinical report (Magee, Sweet and Holland), 174
 - carbonated, stability of: abst. (Soderman), S71

- effects of, on hypoxic pulmonary vasoconstriction in dogs: abst. (Kozody and Cheney), S76
- effects on microbial oxidative function in human neutrophils (White et al.), 506
- HCl versus lidocaine CO₂ for epidural anaesthesia in Caesarean section: abst. (Hemmings), S84
- induced convulsions, flunitrazepam as a protection against in mice (Vatashsky and Aronson), 32
- pharmacokinetics, effect of CPR on: abst. (Chow),
 561
- prevention of succinylcholine fasciculations and myalgia: abst. (Cole), \$65
- tetracaine, crystalline and liquid compared: abst. (Bridenbaugh), 220

Anaesthetics, Narcotic

 naloxone, reversal of hypnotic effect and depressed baroreceptor reflex of halothane anaesthesia in the dog (Freye, Harting and Schenk), 235

Anaesthetics, Volatile

- effects on tracheal mucociliary transport: abst. (Forrest and Chambers), \$76
- enflurane
 - and congenital heart disease: refresher course outline. S24
 - modification of chronotropic response by, during reversal of neuromuscular blockade (Samra et al.),
 - murine auto- and cross-tolerance to (Chalon et al.), 230

- halothane

- and congenital heart disease: refresher course outline, \$24
- effect of, on asphyxiated foetal lamb in utero (Yarnell et al.), 474
- expiratory work during: abst. (Carli and Higgs), S77
- foetal response to acute haemorrhage under: abst.
 (Ong et al.), S85
- level of consciousness after cadaveric kidney transplant under (Casthely and Villanueva), 587
- modification of chronotropic response by, during reversal of neuromuscular blockade (Samra et al.),
- murine auto- and cross-tolerance to (Chalon et al.),
 230
- naloxone reversal of hypnotic effect and depressed baroreceptor reflex of, in the dog (Freye, Harting and Schenk), 235

- nitrous oxide added to, in patients with coronary disease, reduced coronary flow and myocardial oxygen consumption (Moffitt et al.), 5
- uptake of, in the foetal lamb in utero (Biehl et al.),
 24

- isoflurane

- blood solubility of, measured by a multiple gas phase equilibrium technique (Knill et al.), 155
- chemical regulation of ventilation during (Knill et al.), 607
- expiratory work during: abst. (Carli and Higgs), \$77
- murine auto- and cross-tolerance to (Chalon et al.),
 230
- uptake of, by foetal lamb in utero, effect on regional blood flow (Biehl et al.), 581

Analgesia

- cellular activity and mechanism of: conference summary (Roth), 256
- continuous intraspinal narcotic, complications of: correspondence (Combs et al.), 315
- effect of clonidine on: abst. (Milne et al.), \$83

- postoperative

- comparison of epidural meperidine, fentanyl and morphine: abst. (Rutter et al.), 101
- patient demand, control by nalbuphine versus meperidine (Sprigge and Otton), 517
- with oral controlled-release morphine: abst.
 (Chmielewski and Smith), 102

Analgesics

- alfentanil

- catecholamine and cortisol response to, during coronary artery surgery (deLange et al.), 248
- pharmacokinetic profile compared with meperidine, morphine and fentanyl: conference summary (Stanski), 257

- fentanyl

- advantages of alfentanil and sufentanil over, for coronary artery surgery (deLange et al.), 248
- and its analogues, measurement of plasma concentration: conference summary (Phipps), 261
- in coronary artery surgery, incidence of hypotension following (Hardy), 370
- measurement of plasma concentration, three techniques compared (Phipps et al.), 162
- pharmacokinetic profile compared with morphine, meperidine and alfentenil: conference summary (Stanski), 257
- in anaesthetic practice: conference summary (Davies and Strunin), 255

- in chronic pain relief: conference summary (Clarke),
 260
- meperidine
 - pharmacokinetic profile compared with morphine, fentanyl and alfentanil: conference summary (Stanski), 257
 - properties of, compared with amitriptyline and phenelzine in mice (Lee *et al.*), 501
 - versus nalbuphine for postoperative analgesia (Sprigge and Otton), 517
- morphine
 - effect on convulsions in mice following withdrawal from nitrous oxide (Manson et al.), 28; correspondence (Gillman and Lichtigfeld), 564; reply (Manson and Dyke), 565
 - epidural, effect on duration of action of epidural
 2-chloroprocaine following Caesarean section
 (Brooks et al.), 598
 - epidural, for analgesia after Caesarean section: correspondence (Haavik), 108; reply (Rolbin), 108
 - in coronary artery surgery, incidence of arterial hypertension following (Hardy et al.), 370
 - oral, controlled for postoperative analgesia: abst.
 (Chmielewski and Smith), 102
 - pharmacokinetic profile compared with meperidine, fentanyl and alfentanil: conference summary (Stanski), 257
 - premedication for kidney transplant under halothane anaesthesia (Casthely and Villanueva), 581
- nalbuphine versus meperidine for postoperative pain analgesia (Sprigge and Otton), 517
- narcotic
 - butorphanol, high doses plus N₂O anaesthesia, cardiovascular effects of (Stanley et al.), 337
 - epidural and intrathecal: continuing medical education (Martin, Lamarche and Tetrault), 662
 - intubation of H₂ receptor antagonists to: conference summary (Williams), 262
- nitrous oxide for refractory pain: abst. (Sear et al.),
 676
- sufentanil, catecholamine and cortisol responses to, during coronary artery surgery (deLange et al.), 248
- zomepirac, as a premedicant, 3 dose regimens (Dunn et al.), 331

Antagonists

 physostigmine, atrial fibrillation following: clinical report (Maister), 419

- narcotic
 - naloxone
 - effect on convulsions in mice following nitrous oxide withdrawal (Manson et al.), 28, correspondence (Gillman and Lichtigfeld), 564; reply (Manson and Dyke), 565
 - effect on foetal circulatory response to hypoxaemia: abst. (LaGamma et al.), 310
- neuromuscular relaxants
 - anticholinesterases
 - of succinylcholine phase II block: "ditorial (Donati and Bevan), 569
 - reversal of succinylcholine induced apnoea with: clinical report (Bevan and Donati), 536
 - endorphonium, reversal of succinylcholine induced apnoea with: clinical report (Bevan and Donati), 536
 - neostigmine
 - reversal of neuromuscular blockade, modification of chronotropic response during, by halogenated anaesthetics (Samra et al.), 48
 - reversal of succinylcholine apnoea with: clinical report (Bevan and Donati), 536
 - reversal of succinylcholine phase II block by, compared with pancuronium (Fetter, Donati and Bevan), 575

Antiarrhythmics

- propranolol, effects of, in aminophylline toxic dogs (Friesen and Bonet), 124
- verapamil (Kraynack, Lawson and Gintaulas), 242;
 effects of in aminophylline toxic dogs (Friesen and Bonet), 124

Anticholinergics

 antimuscarine drugs, in oculocardiac reflex studies in infants and children (Blanc), 350

Anticholinesterases, see Antagonists, neuromuscular relaxants

Anticoagulants, see Blood

Anti convulsants

 flunitrazepam, protects mice against lidocaine and bupivacaine induced convulsions (Vatashsky and Aronson), 32

Asphyxia, see Complications

Aspiration, see Complications

Aspirin, and pre-operative blood loss: abst. (Ferraris and Swanson), 440

Ataractics

antidepressants, tricyclic; amitriptyline in mice, analgesic properties of (Lee et al.), 501; tricyclic phenelzine in mice, analgesic properties of (Lee et al.), 501
 Atracurium besylate, see Neuromuscular relaxants

Bacteria, bioluminescence, effect of intravenous anaesthetic agents on (White et al.), 506

Bain system, see Anaesthetic techniques, Non-rebreathing; Equipment, Circuits

Barbiturates, see Hypnotics

Blood

- anticoagulant therapy and epidural analgesia: abst.
 (Odoon and Sih), 561
- coagulation
 - heparin reversal in man, protamine administration for (Milne et al.), 347
 - protamine, intraaortic versus intravenous administration for heparin reversal in man (Milne et al.),
 347
- refresher course outline (Naiman), S11
- loss, aspirin usage and perioperative: abst. (Ferraris and Swanson), 440
- plasma
 - fibronectin levels, effect of cardiopulmonary bypass on: abst. (Gotta et al.), \$73 sulfate conjugated catecholamines during anaesthesia: abst. (Marty et al.), \$82
- pressure
 - drug effects
 - midazolam and thiopentone as induction agents in anaesthesia for ill surgical patients (Lebowitz et al.), 19
 - nitrous oxide and halothane in patients with coronary disease (Moffitt et al.), 5
 - protamine for reversal of heparin in man (Milne et al.), 347
- transfusion
 - blood component therapy in anaesthetic practice: review article (Blajchman, Herst and Perrault), 382
 - services of the Canadian Red Cross: editorial (Matthews), 322
 - stored blood, 386; 'group-and-serum' versus crossmatch techniques: review article (Kelton, Perrault and Blajchman), 641
- viscosity, increased, effect on ventricular function when pulmonary vascular resistance is elevated: abst. (Ghignone et al.), \$74

Body position, see Position

Brachial plexus block, see Anaesthetic techniques, regional

Brain

 convulsions in mice, effect of naloxone and morphine on, following withdrawal from nitrous oxide (Manson et al.), 28; correspondence (Gillman and Lichtigfeld), 546; reply (Manson and Dyke), 565

- electroencephalography, power spectral analysis, study of naloxone in the reversal of hypnotic effect and depressed baroreceptor reflex action of halothane (Freye, Hartung and Schenk), 235
- endorphin withdrawal as possible mechanism influencing the effect of naloxone and morphine on convulsions in mice following withdrawal from nitrous oxide (Manson et al.), 28; correspondence (Gillman and Lichtigfeld), 564; reply (Manson and Dyke), 565

Bupivacaine, see Anaesthetics, Local Butorphanol, see Analgesics, Narcotic

Calcium, see Ions

Calmodulin, see Protein, Globulin

Campbell, Edna R. (Happy), a tribute, 321

Canadian Anaesthetists' Society, see Organizations

Canadian Red Cross, see Organizations

Carbon dioxide, production following cardio-pulmonary bypass surgery: abst. (Donati et al.), S66

Cardiopulmonary bypass, see Surgery, Cardiovascular Cardiovascular dynamics, effects of high-dose butorphanol on (Stanley et al.), 337

Chloroprocaine, see Anaesthetics, Local

Cimetidine, see Histamine

Circulation, cardiopulmonary bypass prior to induction of anaesthesia due to tumor obstructing the airway: clinical report (Jensen, Milne and Salerno), 271

Coagulation, see Blood

Compliance, see Lung

Complications

- anaemia, preoperative treatment of patient with a perfluorochemical oxygen-transport fluid: abst. (Tremper et al.), 439
- anaesthetic-induced rhabdomylysis: clinical report (McKishnie, Muir and Girvan), 295
- apnoea, attempted reversal with anticholinesterases: clinical report (Bevan and Donati), 536
- asphyxia of foetal lamb in utero, effect of halothane anaesthesia on (Yarnell et al.), 474
- aspiration
 - lung acid, following Caesarean section, prophylaxis
 (Okasha, Motaweh and Bali), 593
 - of acid gastric contents during anaesthesia, comparison of cimetidine and ranitidine on: abst.
 (Williams and Strunin), S81
 - of gastric contents, H₂ receptor antagonists as prophylaxis against, 265
- bradycardia, succinylcholine induced in children, atropine and glycopyrrolate in prevention of (Lehrman and Chinyanga), 377

- bronchiolectasis following artificial ventilation (Salvin et al.), 309
- cardiac tamponade after left internal jugular catheterization: abst. (Sheep and Guiney), 220
- cardiopulmonary resuscitation, in dogs, effect on lidocaine pharmacokinetics: abst. (Chow *et al.*), 561
- cardiovascular collapse with nitrous oxide administrations, correspondence (Mayhew), 226
- convulsions induced by lidocaine and bupivacaine in mice, protection against by flunitrazepam (Vatashsky and Aronson), 32
- diabetes, dangers of intravenous ritodrine in diabetic patients: abst. (Mordes et al.), 102
- drug-oxygen interactions, anaesthetic and postoperative implications: review article (Klein and Wilds), 399
- femoral neuropathy, a result of lithotomy position under spinal anaesthesia: clinical report (Tondare et al.), 84
- fever in patients with nasotracheal intubation: abst.
 (Knodel and Beekman), 309
- hypertension following coronary artery surgery (Hardy et al.), 370
- hypoxemia, effect of naloxone on foetal circulatory response to: abst. (LaGamma et al.), 310
- oesophageal intubation: clinical report (Ford), 191
- postoperative
 - cardiac and myocardial infarction, incidence in patients with prior myocardial revascularization undergoing non-cardiac surgery: clinical report (Cruchley et al.), 629
 - malignant hyperthermia: clinical report (Schulte-Sasse, Hess and Eberlein), 635
- Prader-Willi syndrome in paediatric patients, anaesthetic considerations: clinical report (Yamashita et al.),
 179; correspondence (Mayhew and Taylor), 565
- pulmonary fibrosis secondary to antineoplastic therapy, anaesthetic and postoperative implications: review article (Klein and Wilds), 399
- pulmonary tumor embolism after hepatectomy for liver cancer: clinical report (Blanloeil et al.), 69
- respiratory, of congenital heart disease: refresher course outline, S21
- sleep apnoea syndrome: correspondence (Haavick), 317
- thrombosis, following pulmonary artery catheterization via the internal jugular vein: abst. (Chastre et al.), 101
- trauma, anaesthesia for traumatized patients: refresher course outline (Pavlin), \$27
- Turner's syndrome, anaesthesia and intubation in: clinical report (Divekar, Kothari and Kamadar), 417

 Wolf-Parkinson-White syndrome, general anaesthesia in: clinical report (Caramella et al.), 185

Contamination, see Equipment, ventilators Continuous positive airway pressure, see Ventilation Convulsions, see Brain, Complications Coronary disease, see Heart

Dantrolene, see Hyperthermia, Malignant pyrexia Day care surgery, see Surgery, Outpatient Dentistry

 general anaesthesia in: editorial (Webb), 328
 Diazepam, see Anaesthetics, Intravenous; Hypnotics, benzodiazepines; Premedication

Di-iosprophylphenol, see Anaesthetics, Intravenous Drugs, interactions, antineoplastic agents, anaesthetic andpostoperative implications: review article (Klein and Wilds), 399

Education, residents, evaluation of a course to appraise critically the published literature: abst. (Dunn and Bennett), \$87

Embolism

- pulmonary, microembolism in dogs, pulmonary oedema after, causing hypoxaemia (Martineau and Noble), 117
- pulmonary tumour after hepatectomy for liver cancer: clinical report (Blanleoil et al.), 69
- thromboembolism in the critically ill: abst. (Cade), 220
 Endorphonium, see Antagonists, neuromuscular relaxants

Epidural anaesthesia, see Anaesthetic techniques, epidural

Equipment

- airway esophageal obturator: clinical report (Donen et al.), 194
- anaesthetic, Canadian Anaesthetists' Society opinion survey on: editorial (Sloan), 458; results – survey report (Neufeld and Johnson), 469
- anaesthetic, portable, in dental office: clinical report (Kay), 406
- breathing circuits, conical connectors results of Canadian Anaesthetists' Society equipment survey: special report (Neufeld and Johnson), 469
- carbon dioxide absorber results of the Canadian Anaesthetists' Society survey: special report (Neufeld and Johnson), 469
 cardiopulmonary bypass apparatus, loss of nitroglycerin to: abst. (Dasta et al.), 440
 catheters, venous, left jugular, causing cardiac tamponade: abst. (Sheep and Guiney), 220

- circuits
 - Bain and Magill compared: abst. (Alexander), 309
 - Bain, mounting of, correspondence (Lyal) and Linder), 224; comment (Spoerel), 224
 - nonrebreathing (Bain), rebreathing and end-tidal CO₂ during use (Spoerel), 148; correspondence (Imrie), 679; reply (Spoerel), 680
 - connectors, breathing circuit, safety of (standards): technical communication (Neufeld, Johnson and de Veth), 646
 - connectors, hazards of interchangeable: correspondence (King, Ryan and Manson), 681
- gas analyser, Siemens PCO₂: correspondence (Dun, Morison and Hartwell), 318
- humidifiers, equipped with heated gas delivery systems, performance of: abst. (Steward and Volgyesi), \$62
- infusion pumps, accuracy of: technical communication (Palazzo, Sabourin and Strunin), 655
- nerve stimulator, transcutaneous (TENS) electric for control of postoperative pain following spinal fusion in adolescents: abst. (Finley and Steward), \$67
- stethoscope modification: correspondence (Hardy),
 447
 vapourizer interlocking system: technical communi-
- ventilators
 - anaesthetic: refresher course outline (Pietak), S42
 - contamination of: abst. (Craven et al.), 102

Etomidate, see Anaesthetics, Intravenous

cation (Browne and MacDonald), 653

Fentanyl, see Anaesthetics, Intravenous; Analgesics Flunitrazepam, see Anticonvulsants Foetus, see Anaesthesia, Obstetric; Pregnancy

Gas chromatography, see Measurement techniques Genetic factors

- inborn errors of metabolism in paediatric patients, anaesthesia and: clinical report (Dierdorf and McNiece), 412
- Turner's syndrome and anaesthesia: clinical report (Divekar, Kothari and Kamadar), 417

Geriatric, see Anaesthesia, Geriatric

Glycopyrrolate, see Sympathetic nervous system

Gordon, Roderick A., Editor Canadian Anaesthetists' Society Journal, 1952–1983, a tribute, 1

Halothane, see Anaesthetics, Volatile H₂, see Histamine

Hear

- antiarrhythmics in aminophylline toxic dogs (Friesen and Bonet), 124
- arrhythmias
 - anaesthesia in subjects with Wolff-Parkinson-White and ventricular pre-excitation syndromes: clinical report (Caramella et al.), 185
 - atrial fibrillation following physostigmine: clinical report (Maister), 419
 - ventricular pre-excitation syndrome, general anaesthesia in: clinical report (Caramella et al.), 185
- bundle-branch block, natural history of 'high-risk';
 abst. (McAnulty et al.), 220
- cardiac output in ill surgical patients, effect of midazolam and thiopentone for induction of anaesthesia on (Lebowitz et al.), 19
- cardio-respiratory effects of change of body position: continuing medical education (Coonon and Hope), 424
- cardiovascular disease, anaesthetic problems associated with treatment of, complicated by artificial pacemakers: refresher course outline (Chung), \$1
- cardiovascular diseases, treatment by calcium channel blockers: refresher course outline (Mizgala), \$5
- congenital defects and pulmonary hypertension, low thoracic epidural anaesthesia for elective cholecystectomy in a patient with: clinical report (Mallampati),
 72
- congenital heart disease, anaesthesia for: refresher course outline (Duncan), S20
- coronary disease, reduction of coronary flow and myocardial function with nitrous oxide added to halothane in patients with (Moffitt et al.), 5
- coronary occlusion, intracoronary fibrinolytic therapy in myocardial infarction: abst. (Khaja et al.), 676
- drug effects, midazolam and thiopentone as induction agents in anaesthesia for ill surgical patients (Lebowitz et al.), 19
- myocardial blood flow and oxygen consumption, effect of nitroglycerin given awake and during anaesthesia in coronary patients (Moffitt et al.), 352
- myocardial function, reduction of oxygen consumption and coronary blood flow by nitrous oxide added to halothane in patients with coronary disease (Moffitt et al.), 5
- myocardial infarction, acute, nitroprusside in: abst.
 (Durrer et al.), 309
- pacemakers, artificial, anaesthetic problems associated with treatment of cardiovascular disease: refresher course outline (Chung), \$1

- pulse rate, effect of halothane and enflurane anaesthetics on, during reversal of neuromuscular blockade (Samra et al.), 48
- tamponade after left internal jugular catheterization: abst. (Sheep and Guiney), 220
- ventricular function, effect of increased viscosity on, when pulmonary vascular resistance is elevated: abst. (Ghignone et al.), \$74

Heparin, see Blood coagulation

Histamine

- cimetidine
- and anaesthesia: review article (Williams), 264
- and other H₂ receptor antagonists, interactions with narcotics: conference summary (Williams), 262
- interactions in anaesthesia, 304
- H2 receptor antagonists

(Williams), 262

- and anaesthesia: review article (Williams), 264
- interactions with narcotics: conference summary

Hormones

- catecholamine, responses to sufentanil-O₂ and alfentanil-O₂ anaesthesia during coronary artery surgery (deLange et al.), 248
- corticosteroid responses to sufentanil-O₂ and alfentanil-O₂ anaesthesia during coronary artery surgery (deLange et al.), 248

Humidifiers, see Equipment

Hydroxyzine, see Premedication

Hypnotics, benzodiazepines

diazepam, sedation reduces functional residual capacity and alters distribution of ventilation in man (Prato and Knill), 493

Hyperthermia

- following anaesthesia, associated with abnormal muscle characteristics: clinical report (Kripke et al.), 290
- following anaesthesia, dantrolene control of: clinical report (Kripke et al.), 290
- malignant, postoperative: clinical report (Grenberg, Edelist and Gordon), 273
- malignant pyrexia, postoperative dantrolene therapy: clinical report (Schulte-Sasse, Hess and Eberlein), 635

Hypnotics

- barbiturate protection of brain during carotid endarterectomy (Moffat et al.), 615
- pentobarbitone treatment of postpartum stroke: clinical report (Caseby), 77

Hypoxaemia, see Complications; Lung

Induction, see Anaesthesia Infarction, see Heart, coronary occlusion

Intubation

- nasotracheal, fever in: abst. (Knodel and Beekman), 309
- tracheal, clinical signs to predict difficult: correspondence (Mallampati), 316

Ions

- calcium
- channel blockers; pharmacology and clinical applications: refresher course outline (Mizgala), \$5
- verapamil, effect on non-cardiac excitable membranes (Kraynack, Lawson and Gintautas), 242

Isoflurane, see Anaesthetics, Volatile

Ketamine, see Anaesthetics, Intravenous Kidney

- blood flow, effects of high-dose fentanyl on, in conscious dogs (Priano), 10
- renal haemodynamics with fentanyl: correspondence (Hunter and Jones), 450; reply (Priano), 451
- transplantation, levels of consciousness after, under halothane anaesthesia (Casthely and Villanueva), 587

Lidocaine, see Anaesthetics, Local

Liver

- anaesthetic considerations in common problems: continuing medical education (Strunin and Davies), 208
- cirrhosis (end-stage liver disease) transplantation for, a model for anaesthetic management of: refresher course outline (Waterman), \$34
- hepatic function after anaesthesia: abst. (Sear et al.),
 675

Lorazepam, see Premedication

Lung

- blood flow, effect of body position on, in infants: abst. (Heaf et al.), 562
- blood flow, effect of body position on, in pleural effusion: abst. (Sonnenblick et al.), 562
- compliance, following cardiopulmonary bypass, effect of continuous airway pressure with oxygen on (Hewson and Shaw), 37
- function, effect of change in body position on: continuing medical education (Coonan and Hope), 424
- functional residual capacity reduced by diazepam sedation (Prato and Knill), 493
- functional residual capacity, variable and non-constant fall during anaesthesia, studies of: abst. (Chartrand and Couture), S64
- hypoxaemia created by pulmonary oedema after pulmonary microemboli in dogs (Martineau and Noble),
 117

- oedema: refresher course outline (Noble), S46, after microemboli in dogs, causing hypoxaemia (Martineau and Noble), 117, measurements in presence of pulmonary emboli and PEEP: abst. (Kay and Noble), S75
- pulmonary artery catheterization via the internal jugular vein, thrombosis following: abst. (Chastre et al.), 101
- pulmonary artery hypertension, low thoracic epidural anaesthesia for elective cholecystectomy in a patient with: clinical report (Mallampati), 72
- pulmonary mechanics and Beta blockers: abst. (Foley et al.), 439
- pulmonary vascular resistance: effect of increased viscosity on right ventricular function when PVR is elevated: abst. (Ghignone et al.), \$74; effect of lidocaine on, under normoxic and hypoxic conditions: abst. (Kozody and Cheney), \$76
- trachea: celia function, effect of high frequency ventilation on, abst. (Forrest and Chambers), S77; tumour, causing airway obstruction, cardiopulmonary bypass prior to anaesthesia: clinical report (Jensen, Milne and Salerno), S76
- tracheal mucociliary transport, effect of volatile anaesthetics on: abst. (Forrest and Chambers), \$76
- ventilation: effect of 100% oxygen breathing on: abst.
 (Cherry and Cotton), S68; perfusion and stroke volumes, effect of diazepam sedation on (Prato and Knill), 493
- water, see oedema

Measurement techniques

- electrodes, carbon dioxide, evaluation of transcutaneous PCO₂ measurements during anaesthesia: abst. (Smedstead), S63
- gas chromatography for measurement of plasma fentanyl concentrations (Phipps et al.), 162
- of fentanyl plasma concentrations, using RIA and GLC: conference summary (Phipps), 261
- of lung water, in presence of pulmonary emboli and PEEP: abst. (Kay and Noble), \$75
- radioimmunoassay for measurement of plasma fentanyl concentrations (Phipps), 162

Membranes, muscle nerve synapse, effect of verapamil on, in cats (Kraynack, Lawson and Gintautas), 242 Meperidine, see Analgesia

Metabolism

- bromide, after kidney transplant under halothane (Casthely and Villanueva), 587
- halothane, after transplant (Casthely and Villanueva), 587

 pyruvate dehydrogenase deficiency and anaesthesia: clinical report (Dierdorf and McNiece), 413

Methohexitone, see Anaesthetics, Intravenous Metoclopramide, see Premedication

Midazolam, see Anaesthetics, Intravenous; Premedica-

Minaxolone, see Anaesthetics, Intravenous Monitoring

 continuous of oxygenation during hypotensive anaesthesia: abst. (Kieraszewicz and Lam), S62

Morphine, see Analgesics

Muscle, skeletal

- calcium ions, effect on function, calmodulin as mediator of: review article (Walsh), 390
- electrophoresis, in determining abnormal characteristics resulting in anaesthesia and related hyperthermia: clinical report (Kripke et al.), 290
- fasciculations and myalgia, succinylcholine induced, effect of lidocaine on: abst. (Cole), S65
- function, calmodulin and its role in: review article (Walsh), 390

Myocardium, see Heart

Nalbuphine, see Analgesics

Naloxone, see Antagonists, Narcotic

Narcotics, see Analgesics, Narcotic

Neostigmine, see Antagonists, neuromuscular relaxants

Nerve stimulator, see Equipment

Neuroanaesthesia, see Anaesthetic techniques

Neuromuscular relaxants

- atracurium besylate, studies in normal patients and in cases of hepatic and renal failure: abst. (Ward et al.), \$81
- neuromuscular blocking drugs: refresher course outline (Bevan), \$56
- ORG NC45 compared with succinylcholine for short intra-abdominal operations (Gyasi et al.), 132
- pancuronium
 - and succinylcholine phase II block, compared, neostigmine antagonism (Futter, Donati and Bevan),
 575
 - requirements during hypothermic cardiopulmonary bypass: abst. (Futter et al.), \$73
- succinylcholine
 - adverse effects, reduction by oral diazepam premedication (Davies), 603
 - and pancuronium, phase II block, compared, neostigmine antagonism (Futter, Donati and Bevan),
 575

- apnoea, reversal with anticholinesterases: clinical report (Bevan and Donati), 536
- compared with ORG NC45 for short intra-abdominal operations (Gyasi et al.), 132
- heart rate response to, in children, pretreated with atropine and glycopyrrolate (Lehrman and Chinyanga), 377
- intramuscular, in infants, neuromuscular blockade in (Sutherland, Bevan and Bevan), 342
- phase II block, anticholinesterase antagonism of: editorial (Bevan and Donati), 569

Neuromuscular transmission, verapamil, blocking action of, in cats (Kraynack, Lawson and Gintautas), 242
Newborn, see Anaesthesia, Obstetric

Nitroglycerin, see Anaesthetic techniques, hypotensive; Surgery, cardiac

Nitroprusside, see Anaesthetic techniques, hypotension, induced

Nitrous oxide, see Anaesthetics; Gases; Analgesia

Oculocardiac reflex, analysis in infants and children (Blanc *et al.*), 360; correspondence (Blanc), 683 ORG NC45, see Neuromuscular relaxants

Organizations

- Anaesthesia History Association: correspondence (Calverley and Maltby), 564
- Canadian Anaesthetists' Society, Annual Meeting Supplement: editorial (Craig), 229
- Canadian Anaesthetists' Society Journal; 'A time for change': editorial (Craig), 3
- Canadian Anaesthetists' Society Journal, Roderick A. Gordon, Editor, 1952–1982, 1
- Canadian Anaesthetists' Society Medal (Richard G.B. Gilbert), 453
- Canadian Anaesthetists' Society, opinion survey on anaesthetic equipment: editorial (Sloan), 458: results – survey report (Neufeld and Johnson), 469
- Canadian Anaesthetists' Society, President's Message,
 111
- Canadian Medic-Alert Foundation, special article (Stevenson), 573
- Canadian Red Cross Society Blood transfusion services: editorial (Matthews), 322
- St. John Ambulance, 1883–1983 (Keenan), 466
 Outpatient, see Anaesthesia; Surgery
 Oxygen
- effects of breathing 100%, on multiple breath nitrogen wash-in curve: abst. (Cherry and Cotton), \$68
- transport, use of a perfluorochemical fluid in preoperative treatment of anaemic patients: abst.
 (Tremper et al.), 440

PEEP, see Ventilation, positive-end-expiratory pressure Pacemakers, see Heart

Pharmacokinetics

- age factors in, 302; and muscle relaxants, \$59; definition, 30; drug interactions and, 304; history, 300
- narcotic: conference summary (Stanski), 257
- of atracurium besylate: abst. (Ward et al.), S81
- principles in anaesthesia: continuing medical education (Moffat), 300
- uptake, of halothane by the foetal lamb in utero (Biehl et al.), 24

Pharmacology

- aminophylline, sympathetic effects of: abst. (Vestal et al.), 439
- chemotherapeutic agents, pulmonary toxication of, anaesthetic and postoperative implications—review article (Klein and Wells), 399
- clonidine, effect on analgesia and opiate withdrawal in the rat: abst. (Milne et al.), \$83

Phenelzine, see Ataractics, Antidepressants, tricyclic Physostigmine, see Antagonists Placenta, see Anaesthesia, obstetric

Pain

- chronic, analgesics, place of, in relief: conference summary (Clarke), 260
- chronic, assessment protocol, for medico-psychosocial evaluation: clinical report (Catchlove and Ramsay),
 531
- continuous intraspinal narcotic analgesia to alleviate, complications: correspondence (Coombs et al.), 315
- experimental, acute, analgesic properties of meperidine, amitriptyline and phenelzine in mice (Lee et al.), 501
- mechanism of, in analgesia: conference summary (Roth), 256
- postoperative
 - following spinal fusion in adolescents: transcutaneous electric nerve stimulation: abst. (Finley and Steward), S67
 - nalbuphine versus meperidine for control (Sprigge and Otton), 517
- refractory, nitrous oxide analgesia for: abst. (Fosburg and Crone), 676

Pentobarbitone, see Hypnotics

Perfusion, see Lung, blood flow; Ventilation Pheochromocytoma, see Surgery

Position

- body position, change of, cardio-respiratory effects of: continuing medical education (Coonan and Hope), 424
- body position, effect on gas exchange in infants: abst.
 (Heaf et al.), 562

- body position, effect on gas exchange in pleural effusion: abst. (Sonnenblick et al.), 562
- prone, repeat ketamine anaesthesia of a child for radiotherapy in: clinical report (Maltby and Watkins), 526

Posture, see Position

Potency, anaesthetic, tolerance to volatile anaesthetics (Chalon *et al.*), 230

Pregnancy

- complications, coma, postpartum stroke treated with high dose pentobarbitone therapy: clinical report (Caseby), 77
- effect of halothane on asphyxiated foetal lamb in utero (Yarnell et al.), 474
- foetal circulatory response to hypoxaemia, effects of naloxone on: abst. (LaGamma et al.), 310
- foetal responses to acute haemorrhage under halothane anaesthesia: abst. (Ong), \$85
- foetus and its environment, antepartum assessment of: continuing medical education (Manning), 88
- foetus, intrapartum monitoring: continuing medical education (Ong and Bradford), 91

Premedication

- anticholinergic, for infants and children: editorial (Steward), 325; Correspondence (Blanc), 683; reply (Steward), 684
- cimetidine-antacid combination for elective Caesarean section (Okasha, Motaweh and Bali), 593
- diazepam and intravenous induction agents: review (Clarke), 166
- diazepam, oral, reduces incidence of post-succinylcholine muscle pain (Davies), 603
- hydroxyzine versus midazolam for intramuscular (Fragen et al.), 136
- intramuscular pentazocine-atropine, compared with intravenous diazepam-atropine and pentazocine in paediatrics (Rita, Seleny and Goodarzi), 512
- lorzepam, and intravenous induction agents (Clarke),
 166; sublingual: abst. (Gale et al.), 676
- metoclopramide, placental transport, maternal and foetal effects (Bylsma-Howell et al.), 487
- midazolam versus hydroxyzine for intramuscular (Fragen et al.), 136
- ora
 - diazepam-atropine, pentazocine-atropine and intramuscular pentazocine compared in paediatrics (Rita, Seleny and Goodarzi), 512
- zomepric, comparison of three dosage regimens (Dunn et al.), 331
- see also Analgesics

Propranolol, see Antiarrhythmics; Sympathetic nervous system, sympatholytic agents Prostaglandins, and anaesthesia: refresher course outline (Kehler), S14

Protamine, see Blood coagulation

Protein, globulin, calmodulin, roles in skeletal muscle function: review article (Walsh), 390

Pulmonary, see Lung

Pyruvate, see Metabolism

Radioimmunoassay, see Measurement techniques
Radiotherapy, young child in prone position, repeat
ketamine anaesthesia for: clinical report (Maltby and
Watkins), 526

Receptors, chemoreceptors, effect of isoflurane on (Knill et al.), 607

Respiration, see Ventilation

Resuscitation, see Complications

Risk, estimate in cardiac surgery: clinical report (Paiement et al.), 61

Ritodrine, see Sympathetic nervous system, sympathomimetic agents

Sedation, diazepam, measurement of ventilation and static lung volumes during (Prato and Knill), 493

Solubility, partition coefficients, isoflurane, measured by a multiple gas equilibrium technique (Knill *et al.*), 155

Succinylcholine, see Neuromuscular relaxants Sufentanil, see Analgesics

Surgery

- abdominal
 - cardiovascular effects of high dose butorphanolnitrous oxide anaesthesia before and during (Stanley et al.), 337
 - ventilation-perfusion relationships during: abst.
 (Lundh and Hedenstierna), 562
- intra-abdominal, comparison of ORG NC45 and succinylcholine for (Gyasi et al.), 132
- cardiac
 - nitroglycerin, intravenous, use in cardiopulmonary bypass surgery (Townsend), 142
 - nitroglycerin, myocardial and systemic effects of, given awake and during (Moffitt et al.), 352
 - nitroglycerin versus nitroprusside in post-bypass hypertension: abst. (Flaherty), 219
- cardiovascular
- aortic clamping, infrarenal, renin response to, modified by preoperative beta-blockage (Grant and Jenkins), 480
- aortocoronary bypass, ventilatory response to CO₂ following high dose fentanyl for: effect of nalbuphine, abst. (Ramsay et al.), S70

- cardiopulmonary bypass
 - continuous airway pressure with oxygen to minimize the metabolic lesion of 'pump lung' during (Hewson and Shaw), 37
 - hypothermic, pancuronium requirements during: abst. (Futter et al.), S73
 - intravenous nitroglycerin in (Townsend et al.),
 142
 - plasma fibronectin during: abst. (Gotta et al.), \$73
- classification of risk in: clinical report (Paiement et al.), 61
- coronary artery
 - arterial hypertension following, influence of narcotic agent used in anaesthesia (Hardy et al.), 370
 - bypass, carbon dioxide production following: abst.
 (Donati et al.), S66
 - bypass, nitroglycerin versus nitroprusside for postbypass hypertension: abst. (Flaherty et al.), 219
 - effect of alfentanil-O₂ and sufentanil-O₂ anaesthesia on plasma catecholamines and cortisol during (de-Lange et al.), 248
 - myocardial and systemic effects of nitroglycerin given awake and during (Moffitt et al.), 352
- carotid endarterectomy, thiopental bolus before clamping: abst. (Moffat), S79; thiopental bolus during, rational drug therapy (Moffat et al.), 615
- cholecystectomy, in a patient with congenital heart disease and pulmonary hypertension, low thoracic epidural anaesthesia: clinical report (Mallampati), 72
- gynecology, lithotomy position causing femoral neuropathy: clinical report of three cases (Tondare *et al.*),
 84
- hepatectomy, intraoperative pulmonary tumor embolism after: clinical report (Blanloeil et al.), 69
- liver transplantation, anaesthesia for: a model: refresher course outline (Waterman), S34
- non-cardiac, in patients with prior myocardial revascularization, complications: clinical report (Cruchley et al.), 629
- out-patient
 - day care surgery: continuing medical education (Hatch), 542
 - day care surgery for infants and children: continuing medical education (Johnson), 553
 - postoperative problems, prophylaxis and management of: continuing medical education (Edelist),
 - selection of patients for day care surgery: continuing medical education (McTaggart), 542
- pheochromocytoma, preoperative management with prazosin and propranolol: abst. (Cubeddu et al.), 310

- propranolol infusion following: abst. (Smulyan et al.),
 101
- spinal fusion, transcutaneous electric nerve stimulation (TENS) for control of postoperative pain: abst. (Finley and Steward), S67
- strabismus in infants and children, analysis of oculocardiac reflex (Blanc et al.), 360; correspondence (Blanc), 683

Sympathetic nervous system

- aminophylline toxic dogs, antiarrhythmic effects of verapamil and propranolol in (Friesen and Bonet), 124
- atropine and glycopyrrolate, effect on succinylcholine induced heart rate changes in children (Lerman and Chinyanga), 377
- effects of aminophylline on: abst. (Vestal et al.), 439
- epinephrine, addition to epidural morphine in obstetrical analgesia: abst. (Martin et al.), \$72
- glycopyrrolate and atropine, effect on succinylcholine induced heart rate changes in children (Lerman and Chinyanga), 377
- sympatholytic agents
 - propranolol, infusion following surgery: abst. (Smulyan et al.), 101
 - progranolol, preoperative effect on modification by preoperative beta-blockage of renin responses to infrarenal aortic cross-clamping (Grant and Jenkins), 480
- sympathomimetic agents
 - ritodrine, intravenous, dangers in diabetic patients: abst. (Mordes *et al.*), 102

Syndromes, see Complications

Tamponade, see Heart; Complications

Tetracaine, see Anaesthetics, Local

Thiopentone, see Anaesthetics, Intravenous

Thromboembolism, see Embolism

Toxicity

- aminophylline induced ventricular arrhythmias in dogs, effects of verapamil and propranolol on (Friesen and Bonet), 124
- neurotoxicity of local anaesthetics: editorial (Covino),
 111

Trachea, see Lung

Transfusion, see Blood

Transplantation, see under Surgery, name of organ

Trauma, see Complications

Uterus

 blood flow, effect of uptake of isoflurane by the foetal lamb on (Biehl et al.), 581

Ventilation

- artificial
 - bronchiolectasis following: abst. (Salvin et al.), 309
 - use of eosphageal obturator airway: clinical report (Donen et al.), 194
- carbon dioxide response, hypoxic response, regulation during isoflurane sedation and anaesthesia (Knill et al.), 607
- continuous positive airway pressure with oxygen minimizes the metabolic lesions of 'plumb lung' (Hewson and Shaw), 37
- dead space, pulmonary, effect of isoflurane induced hypotension on: abst. (Nichols and Lam), S68
- high frequency (HFV) on ciliary beat frequency: abst.
 (Forrest and Chambers), \$77
- perfusion relationships during anaesthesia and abdominal surgery: abst. (Lundh and Hedenstierna), 562
- positive-end-expiratory-pressure
 - lung water measurements in the presence of: abst.
 (Kay and Noble), \$75
 - mechanism of cardiovascular effects: abst. (Rankin et al.), 219
- respiration spontaneous during halothane and isoflurane anaesthesia (Carli and Higgs), S77
- respiratory system, effect of change in body position on: continuing medical education (Coonan and Hope), 424
- shunting, pulmonary, effect of isoflurane induced hypotension on: abst. (Nichols and Lam), \$68
- spontaneous, versus intermittent mandatory: abst.
 (Prakash et al.), 219

Ventilators, see Equipment

Verapamil, see Antiarrhythmics

Waterton, Charles, Waterton Wourali: correspondence (Ellis), 110

